Product information

DPF Cleaner



Description

Highly effective solvent-based combination of additives for cleaning diesel particulate filters when removed. Soiling in the diesel particulate filter is released, thus relieving you of the usual filter change, which in turn reduces running costs.

Technical data

Form flüssig / liquid

Color / appearance hellgelb / light yellow

Hazard class as per Ger- keine / none

man VbF

pH value ~8,7

Solubility in water mischbar / mixable
Odor charakteristisch /

characteristic

Density at 20 °C 1,029 g/cm³

Areas of application

For all diesel vehicles with diesel particle filter.

Application

Depending on the size of the diesel particulate filter, add a sufficient quantity of DPF Cleaner to the inlet or outlet of the diesel particulate filter. Seal the inlet or outlet with a suitable object and allow the cleaner to take effect for approx. 15 minutes. Swivel the DPF several times during the application time. Then pour the DPF Cleaner out of the diesel particulate filter and dispose of it properly. Finally, the diesel particulate filter is rinsed with plenty of hot water. Cleaning with high-pressure equipment supports the rinsing process.

Important: Must not be used in the LIQUI MOLY DPF Pressurized Tank Spray Gun (part no. 7946) for cleaning when installed.



Available pack sizes

5 l Canister plastic 1766 D-GB

Our information is based on thorough research and may be considered reliable, although not legally binding.